

# List of publications 01.10.04-30.09.05

All papers can be obtained from their reference number in the archives

<http://xxx.lanl.gov> from USA  
<http://xxx.lpthe.jussieu.fr/> from France  
<http://xxx.soton.ac.uk/> from U.K.  
<http://physinfo.uni-augsburg.de/> from Germany  
<http://babbage.sissa.it/> from Italy

which form the main publication method in our field of research. The number of citations is indicated in parenthesis, as asked in the guidelines. Of course recent articles can not yet have many citations, and are thus under-valuated in this way. We also indicate with **YR**, the papers to which young researchers of our network contributed and display with bold type their names.

## 1 Joint publications

- [1] I. Antoniadis, K. S. Narain and T. R. Taylor, “Open string topological amplitudes and gaugino masses,” arXiv:hep-th/0507244. (Palaiseau/CERN, Trieste) (cited 2 times)
- [2] I. Antoniadis and T. Maillard, “Moduli stabilization from magnetic fluxes in type I string theory,” Nucl. Phys. B **716** (2005) 3 [arXiv:hep-th/0412008]. (Palaiseau, CERN) (cited 19 times)
- [3] I. Antoniadis, A. Kumar and T. Maillard, “Moduli stabilization with open and closed string fluxes,” arXiv:hep-th/0505260. (Palaiseau, CERN) (cited 7 times)
- [4] I. Antoniadis and S. Dimopoulos, “Splitting supersymmetry in string theory,” Nucl. Phys. B **715** (2005) 120 [arXiv:hep-th/0411032]. (Palaiseau/CERN, US team) (cited 34 times)
- [5] I. Antoniadis, M. Tuckmantel and F. Zwirner, “Phenomenology of a leptonic goldstino and invisible Higgs boson decays,” Nucl. Phys. B **707** (2005) 215 [arXiv:hep-ph/0410165]. (Palaiseau, CERN, INFN) (cited 1 time)
- [6] E. Dudas, G. Pradisi, M. Nicolosi and A. Sagnotti, “On tadpoles and vacuum redefinitions in string theory,” Nucl. Phys. B **708** (2005) 3 [arXiv:hep-th/0410101]. (Palaiseau, INFN) (cited 11 times)
- [7] E. Dudas and M. Quiros, “Five-dimensional massive vector fields and radion stabilization,” Nucl. Phys. B **721** (2005) 309 [arXiv:hep-th/0503157]. (Palaiseau, Madrid) (cited 6 times)
- [8] F. Bigazzi, R. Casero, A. L. Cotrone, E. Kiritsis and A. Paredes, “Non-critical holography and four-dimensional CFT’s with fundamentals,” arXiv:hep-th/0505140. (Palaiseau, INFN) (cited 2 times)
- [9] M. Grana, R. Minasian, M. Petrini and A. Tomasiello, “Generalized structures of  $N = 1$  vacua,” arXiv:hep-th/0505212. (Palaiseau, USA team) (cited 9 times)

- [10] J. P. Derendinger, C. Kounnas, P. M. Petropoulos and F. Zwirner, “Fluxes and gaugings:  $N = 1$  effective superpotentials,” *Fortsch. Phys.* **53** (2005) 926 [arXiv:hep-th/0503229]. (Palaiseau, INFN) (cited 8 times)
- [11] J. P. Derendinger, C. Kounnas, P. M. Petropoulos and F. Zwirner, “Superpotentials in IIA compactifications with general fluxes,” *Nucl. Phys. B* **715** (2005) 211 [arXiv:hep-th/0411276]. (Palaiseau, INFN, CERN) (cited 24 times)
- [12] A. Masiero, S. K. Vempati and O. Vives, “Seesaw mechanism and supersymmetry,” <http://www.slac.stanford.edu/spires/find/hep/www?irn=6291805SPIRES> entry *Prepared for SEESAW25*. (Palaiseau, INFN, CERN)
- [13] E. J. Chun, A. Masiero, A. Rossi and S. K. Vempati, “A predictive seesaw scenario for EDMs,” *Phys. Lett. B* **622** (2005) 112 [arXiv:hep-ph/0502022]. (Palaiseau, INFN) (cited 2 times)
- [14] L. Baulieu and A. Tanzini, “Topological symmetry of forms,  $N = 1$  supersymmetry and S-duality on special manifolds,” arXiv:hep-th/0412014. (Palaiseau, Trieste) (cited 6 times)
- [15] P. Binetruy and S. Lavignac, “25 years of seesaw (summary of SEESAW’25),” *Nucl. Phys. Proc. Suppl.* **143** (2005) 175. (Palaiseau, Saclay)
- [16] S. C. Davis, P. Binetruy and A. C. Davis, “Local axion cosmic strings from superstrings,” *Phys. Lett. B* **611** (2005) 39 [arXiv:hep-th/0501200]. (Palaiseau, Oxford) (cited 3 times)
- [17] Y. Rasera, R. Teyssier, P. Sizun, B. Cordier, J. Paul, M. Casse and P. Fayet, “Soft gamma-ray background and light dark matter annihilation,” arXiv:astro-ph/0507707. (Palaiseau, Saclay)
- [18] I. Antoniadis, A. Delgado, K. Benakli, M. Quiros and M. Tuckmantel, “Splitting extended supersymmetry,” arXiv:hep-ph/0507192. (Palaiseau, CERN, Madrid)
- [19] M. Grana, J. Louis and D. Waldram, “Hitchin functionals in  $N = 2$  supergravity,” arXiv:hep-th/0505264. (Palaiseau, Bonn) (cited 10 times)
- [20] P. Brax, N. Chatillon and D. A. Steer, “Effective actions of a Gauss-Bonnet brane world with brane curvature terms,” *Phys. Lett. B* **608** (2005) 130 [arXiv:hep-th/0411058]. (Palaiseau, Saclay) (cited 3 times)
- [21] M. B. Green and P. Vanhove, “Duality and higher derivative terms in M theory,” arXiv:hep-th/0510027. (Saclay, Oxford)
- [22] P. Brax, C. v. de Bruck, A. C. Davis and A. M. Green, “Small Scale Structure Formation in Chameleon Cosmology,” arXiv:astro-ph/0509878. (Saclay, Oxford)
- [23] C. Ringeval, P. Brax, C. v. de Bruck and A. C. Davis, “Boundary inflation and the WMAP data,” arXiv:astro-ph/0509727. (Saclay, Oxford)
- [24] A. C. Davis, P. Brax and C. van de Bruck, “Brane world cosmology, the CMB and the radion,” *Nucl. Phys. Proc. Suppl.* **148**, 64 (2005) [arXiv:astro-ph/0503467]. (Saclay, Oxford) (cited 2 times)

- [25] P. Brax, C. van de Bruck and A. C. Davis, “Cosmic acceleration in massive half-maximal supergravity,” *Phys. Lett. B* **609**, 13 (2005) [arXiv:hep-th/0411208]. (Saclay, Oxford) (cited 3 times)
- [26] P. H. Chankowski, K. Kowalska, S. Lavignac and S. Pokorski, “Flavour changing neutral currents and inverted sfermion mass hierarchy,” arXiv:hep-ph/0507133. (Saclay, Warsaw)
- [27] P. H. Chankowski, K. Kowalska, S. Lavignac and S. Pokorski, “Update on fermion mass models with an anomalous horizontal U(1) symmetry,” *Phys. Rev. D* **71**, 055004 (2005) [arXiv:hep-ph/0501071]. (Saclay, Warsaw) (cited 6 times)
- [28] I. Masina and C. A. Savoy, “Charged lepton flavour and CP violations: Theoretical impact of present and future experiments,” *Nucl. Phys. Proc. Suppl.* **143**, 70 (2005) [arXiv:hep-ph/0410382]. (Saclay, INFN) (cited 2 times)
- [29] I. Masina and C. A. Savoy, “On power and complementarity of the experimental constraints on seesaw models,” *Phys. Rev. D* **71**, 093003 (2005) [arXiv:hep-ph/0501166]. (Saclay, INFN) (cited 5 times)
- [30] P. A. Grassi and P. Vanhove, “Topological M theory from pure spinor formalism,” arXiv:hep-th/0411167. (Saclay, INFN) (cited 15 times)
- [31] D. Hooper and G. Servant, “Indirect detection of Dirac right-handed neutrino dark matter,” *Astropart. Phys.* **24**, 231 (2005) [arXiv:hep-ph/0502247]. (Saclay, Oxford) (cited 3 times)
- [32] E. Kohlprath and P. Vanhove, “Localized gravity in non-compact superstring models,” arXiv:hep-th/0409197. (Palaiseau, Saclay)
- [33] R. D’Auria, S. Ferrara, M. Trigiante and S. Vaula, “Gauging the Heisenberg algebra of special quaternionic manifolds,” *Phys. Lett. B* **610** (2005) 147 [arXiv:hep-th/0410290]. (Bonn, CERN) (Citations: 12)
- [34] G. Weiglein *et al.* [LHC/LC Study Group], “Physics interplay of the LHC and the ILC,” arXiv:hep-ph/0410364. (Bonn, Palaiseau, INFN, Valencia, Oxford, Warsaw, CERN) (Citations: 47)
- [35] K. Choi, A. Falkowski, H. P. Nilles, M. Olechowski and S. Pokorski, “Stability of flux compactifications and the pattern of supersymmetry breaking,” *JHEP* **0411** (2004) 076 [arXiv:hep-th/0411066]. (Bonn, Warsaw) (Citations: 25)
- [36] J. F. Morales and H. Samtleben, “Higher spin holography for SYM in d dimensions,” *Phys. Lett. B* **607** (2005) 286 [arXiv:hep-th/0411246]. (Bonn, CERN) (Citations: 3)
- [37] R. N. Mohapatra *et al.*, “Theory of neutrinos,” arXiv:hep-ph/0412099. (Bonn, Oxford, INFN, Trieste) (Citations: 25)
- [38] R. D’Auria, S. Ferrara, M. Trigiante and S. Vaula, “Scalar potential for the gauged Heisenberg algebra and a non-polynomial antisymmetric tensor theory,” *Phys. Lett. B* **610** (2005) 270 [arXiv:hep-th/0412063]. (Bonn, CERN) (Citations: 12)

- [39] S. Antusch, J. Kersten, M. Lindner, M. Ratz and M. A. Schmidt, “Running neutrino mass parameters in see-saw scenarios,” *JHEP* **0503** (2005) 024 [arXiv:hep-ph/0501272]. (Bonn, Oxford) (Citations: 22)
- [40] R. D’Auria, S. Ferrara, M. Trigiante and S. Vaula, “ $N = 1$  reductions of  $N = 2$  supergravity in the presence of tensor multiplets,” *JHEP* **0503** (2005) 052 [arXiv:hep-th/0502219]. (Bonn, CERN) (Citations: 3)
- [41] K. Choi, A. Falkowski, H. P. Nilles and M. Olechowski, “Soft supersymmetry breaking in KKL<sub>T</sub> flux compactification,” *Nucl. Phys. B* **718** (2005) 113 [arXiv:hep-th/0503216]. (Bonn, Warsaw) (Citations: 20)
- [42] J. F. Morales and H. Samtleben, “Higher spin holography and string states on  $AdS(5) \times S^{*5}$ ,” *Fortsch. Phys.* **53** (2005) 586. (Bonn, CERN)
- [43] M. G. Albrow *et al.*, “Physics at a Fermilab proton driver,” arXiv:hep-ex/0509019. (Bonn, CERN, INFN, Trieste, Madrid) (Citations: 3)
- [44] I. Giomataris, S. Aune, P. Colas, E. Ferrer, I. Irastorza, B. Peyaud, J. Dolbeau, P. Gorodetzky, H. van der Graff, T. Patzak, P. Salin, J. Busto, V. Lepeltier and I. Vergados, “NOSTOS experiment and new trends in rare event detection,” arXiv:hep-ex/0502033 (Saclay, Greece) (2 citations).
- [45] Y. Giomataris and J. D. Vergados, “A network of neutral current spherical TPC’s for dedicated supernova detection,” arXiv:hep-ex/0503029 (Saclay, Greece).
- [46] S. Aune, P. Colas, J. Dolbeau, G. Fanourakis, E. Ferrer-Ribas, T. Gerasis, Y. Giomataris, P. Gorodetzky, G. J. Gounaris, I. G. Irastorza, K. Kousouris, V. Lepeltier, T. Patzak, E. A. Paschos, P. Salin, I. Savvidis and J. D. Vergados, “NOSTOS: A spherical TPC to detect low energy neutrinos,” arXiv:hep-ex/0503031 (Saclay, Greece) (2 citations).
- [47] T. Dent, G. Lazarides and R. Ruiz de Austri, “Non-thermal leptogenesis via direct inflaton decay without  $SU(2)_L$  triplets,” *Phys. Rev. D* **72** (2005) 043502 [arXiv:hep-ph/0503235] (Greece, Madrid) (3 citations).
- [48] Y. Giomataris and J. D. Vergados, “Exploring new features of neutrino oscillations with a triton source and a large spherical TPC,” arXiv:hep-ph/0504149 (Saclay, Greece).
- [49] G. von Gersdorff, L. Pilo, M. Quiros, A. Riotto and V. Sanz, “Supersymmetry from boundary conditions,” *Nucl. Phys. B* **712** (2005) 3 [arXiv:hep-th/0411133]. (INFN, Madrid, Valencia) (Citations: 4)
- [50] T. Gregoire, R. Rattazzi, C. A. Scrucca, A. Strumia and E. Trincherini, “Gravitational quantum corrections in warped supersymmetric brane worlds,” *Nucl. Phys. B* **720** (2005) 3 [arXiv:hep-th/0411216]. (INFN, CERN) (Citations: 9)
- [51] A. Masiero, S. Profumo and P. Ullio, “Neutralino dark matter detection in split supersymmetry scenarios,” *Nucl. Phys. B* **712** (2005) 86 [arXiv:hep-ph/0412058]. (INFN, Trieste) (Citations: 27)

- [52] R. N. Mohapatra *et al.*, “Theory of neutrinos,” arXiv:hep-ph/0412099. (INFN, Trieste, USA, Valencia) (Citations: 25)
- [53] J. Bernabeu, J. Papavassiliou and M. Passera, “Dynamical zero in anti- $\nu/e$  -  $e$  scattering and the neutrino magnetic moment,” Phys. Lett. B **613** (2005) 162 [arXiv:hep-ph/0412165]. (INFN, Valencia)
- [54] M. Bona *et al.* [UTfit Collaboration], “The 2004 UTfit collaboration report on the status of the unitarity triangle in the standard model,” JHEP **0507** (2005) 028 [arXiv:hep-ph/0501199]. (INFN, Saclay) (Citations: 31)
- [55] B. C. Allanach, A. Brignole and L. E. Ibanez, “Phenomenology of a fluxed MSSM,” JHEP **0505** (2005) 030 [arXiv:hep-ph/0502151]. (INFN, Madrid, Oxford) (Citations: 6)
- [56] F. del Aguila, J. A. Aguilar-Saavedra, A. Martinez de la Ossa and D. Meloni, “Flavour and polarisation in heavy neutrino production at  $e^+ e^-$  colliders,” Phys. Lett. B **613** (2005) 170 [arXiv:hep-ph/0502189]. (INFN, Lisbon) (Citations: 6)
- [57] G. Martinelli, M. Salvatori, C. A. Scrucca and L. Silvestrini, “Minimal gauge-Higgs unification with a flavour symmetry,” JHEP **0510** (2005) 037 [arXiv:hep-ph/0503179]. (INFN, Madrid) (Citations: 3)
- [58] G. Altarelli and F. Feruglio, “Tri-bimaximal neutrino mixing from discrete symmetry in extra dimensions,” Nucl. Phys. B **720** (2005) 64 [arXiv:hep-ph/0504165]. (INFN, CERN) (Citations: 21)
- [59] C. Bobeth, M. Bona, A. J. Buras, T. Ewerth, M. Pierini, L. Silvestrini and A. Weiler, “Upper bounds on rare K and B decays from minimal flavor violation,” Nucl. Phys. B **726** (2005) 252 [arXiv:hep-ph/0505110]. (INFN, Saclay) (Citations: 5)
- [60] R. Barbieri, L. J. Hall, S. J. Oliver and A. Strumia, “Dark energy and right-handed neutrinos,” Phys. Lett. B **625** (2005) 189 [arXiv:hep-ph/0505124]. (INFN, USA, CERN) (Citations: 6)
- [61] A. Donini, D. Meloni and S. Rigolin, “The impact of solar and atmospheric parameter uncertainties on the measurement of  $\theta(13)$  and  $\delta$ ,” arXiv:hep-ph/0506100. (INFN, Madrid) (Citations: 4)
- [62] J. Foster, K. I. Okumura and L. Roszkowski, “Probing the flavour structure of supersymmetry breaking with rare B-processes: A beyond leading order analysis,” JHEP **0508** (2005) 094 [arXiv:hep-ph/0506146]. (INFN, Oxford) (Citations: 1)
- [63] G. C. Branco, R. Gonzalez Felipe, F. R. Joaquim and B. M. Nobre, “Enlarging the window for radiative leptogenesis,” arXiv:hep-ph/0507092. (INFN, Lisbon) (Citations: 1)
- [64] D. Becirevic, G. Martinelli and G. Villadoro, “The Ademollo-Gatto theorem for lattice semileptonic decays,” arXiv:hep-lat/0508013. (INFN, Saclay) (Citations: 2)
- [65] M. Bona *et al.* [UTfit Collaboration], “The UTfit collaboration report on the status of the unitarity triangle beyond the standard model. I: Model-independent analysis and minimal flavour violation,” arXiv:hep-ph/0509219. (INFN, Saclay) (Citations: 3)

- [66] R. Barbieri, T. Gregoire and L. J. Hall, “Mirror World at the Large Hadron Collider,” arXiv:hep-ph/0509242. (INFN, USA, CERN)
- [67] N. Bartolo, E. W. Kolb and A. Riotto, “Post-inflation increase of the cosmological tensor-to-scalar perturbation ratio,” arXiv:astro-ph/0507573. (Trieste, INFN) (Citations: 3)
- [68] N. Bartolo, S. Matarrese and A. Riotto, “Non-Gaussianity of Large-Scale CMB Anisotropies beyond Perturbation Theory,” JCAP **0508** (2005) 010 [arXiv:astro-ph/0506410]. (Trieste, INFN) (Citations: 6)
- [69] N. Bartolo, S. Matarrese and A. Riotto, “Signatures of Primordial Non-Gaussianity in the Large-Scale Structure of the Universe,” arXiv:astro-ph/0501614. (Trieste, INFN) (Citations: 1)
- [70] N. Bartolo, S. Matarrese and A. Riotto, “Primordial non-Gaussianity from different cosmological scenarios,” Nucl. Phys. Proc. Suppl. **148** (2005) 56. (Trieste, INFN)
- [71] S. K. Ashok, S. Murthy and J. Troost, “D-branes in non-critical superstrings and minimal super Yang-Mills in various dimensions,” arXiv:hep-th/0504079 (Trieste, Palaiseau) (Citations: 1)
- [72] S. D. Avramis, A. Kehagias and S. Randjbar-Daemi, “A new anomaly-free gauged supergravity in six dimensions,” JHEP **0505** (2005) 057 [arXiv:hep-th/0504033]. (Trieste, Greece) (Citations: 3)
- [73] K. Hamaguchi and A. Ibarra, “Probing lepton flavour violation in slepton NLSP scenarios,” JHEP **0502** (2005) 028 [arXiv:hep-ph/0412229]. (Madrid, Bonn)
- [74] S. Franco, A. Hanany, F. Saad and A. M. Uranga, “Fractional branes and dynamical supersymmetry breaking,” arXiv:hep-th/0505040. (Madrid, CERN) (13 citations)
- [75] J. F. G. Cascales, F. Saad and A. M. Uranga, “Holographic dual of the standard model on the throat,” arXiv:hep-th/0503079. (Madrid, CERN) (6 citations)
- [76] Y. Mambrini, C. Munoz, E. Nezri and F. Prada, “Adiabatic compression and indirect detection of supersymmetric dark matter,” arXiv:hep-ph/0506204. (Madrid, Palaiseau)
- [77] S. Baek, D. G. Cerdeno, Y. G. Kim, P. Ko and C. Munoz, “Direct detection of neutralino dark matter in supergravity,” JHEP **0506** (2005) 017 [arXiv:hep-ph/0505019]. (Madrid, CERN)
- [78] D. G. Cerdeno, K. Y. Choi, K. Jedamzik, L. Roszkowski and R. R. de Austria, “Gravitino dark matter in the CMSSM with improved constraints from BBN,” arXiv:hep-ph/0509275. (Madrid, CERN, Oxford)
- [79] R. Dermisek, S. Raby, L. Roszkowski and R. Ruiz de Austria, “Dark matter and  $B/s \rightarrow \mu^+ \mu^-$  with minimal SO(10) soft SUSY breaking II,” arXiv:hep-ph/0507233. (Madrid, Oxford)
- [80] A. Provenza, M. Quiros and P. Ullio, “Electroweak baryogenesis, large Yukawas and dark matter,” arXiv:hep-ph/0507325. (Madrid, Trieste)

- [81] M. Malinsky, J. C. Romao and J. W. F. Valle, “Supersymmetric SO(10) Seesaw Mechanism with Low B-L Scale,” *Phys. Rev. Lett.* **95**, 161801 (2005) [arXiv:hep-ph/0506296]. (Valencia, Trieste, Lisbon) (Cited 1 time)
- [82] M. Hirsch, C. Hugonie, J. C. Romao and J. W. F. Valle, “Charge breaking minima in the broken R-parity minimal supersymmetric standard model,” *JHEP* **0503**, 020 (2005) [arXiv:hep-ph/0411129]. (Valencia, Lisbon)
- [83] M. Hirsch, J. C. Romao, J. W. F. Valle and A. Villanova del Moral, “Invisible Higgs boson decays in spontaneously broken R-parity,” *Phys. Rev. D* **70** (2004) 073012. (Valencia, Lisbon) (Cited 3 times)
- [84] . Moortgat-Pick *et al.*, “The role of polarized positrons and electrons in revealing fundamental interactions at the linear collider,” arXiv:hep-ph/0507011, submitted to *Physics Reports*. (Valencia, Bonn, CERN, Oxford, INFN) (Cited 10 times)
- [85] . W. N. Glover *et al.*, “Top quark physics,” *Acta Phys. Polon. B* **35**, 2671 (2004) [arXiv:hep-ph/0410110]. (Valencia, Oxford, CERN) (Cited 7 times)
- [86] S. Kraml and W. Porod, “Sfermion decays into singlets and singlinos in the NMSSM,” *Phys. Lett. B* **626** (2005) 175, arXiv:hep-ph/0507055. (Valencia, CERN)
- [87] J. A. Aguilar-Saavedra, F. J. Botella, G. C. Branco and M. Nebot, “The size of  $\chi = \arg(-V(ts) V(tb)^* V(cs)^* V(cb))$  and physics beyond the standard model,” *Nucl. Phys. B* **706**, 204 (2005). (Lisbon, Valencia) (Cited 4 times)
- [88] F. J. Botella, G. C. Branco, M. Nebot and M. N. Rebelo, “New physics and evidence for a complex CKM,” *Nucl. Phys. B* **725** (2005) 155 [arXiv:hep-ph/0502133]. (Lisbon, Valencia, CERN) (Cited 4 times)
- [89] D. F. Carvalho, J. R. Ellis, M. E. Gomez, S. Lola and J. C. Romao, “Tau flavour violation in sparticle decays at the LHC,” *Phys. Lett. B* **618** (2005)162. (Lisbon, CERN) (Cited 14 times)
- [90] Z. Lalak, G. G. Ross and S. Sarkar, “Racetrack inflation and assisted moduli stabilisation,” arXiv:hep-th/0503178. (Oxford, Warsaw) (3 citations)
- [91] T. Hambye, M. Raidal and A. Strumia, arXiv:hep-ph/0510008. (Oxford, INFN)
- [92] A. Falkowski, O. Lebedev and Y. Mambrini, “SUSY phenomenology of KKLT flux compactifications,” arXiv:hep-ph/0507110. (Warsaw, Palaiseau) (7 citations)
- [93] L. Alvarez-Gaume, C. Gomez, H. Liu and S. Wadia, “Finite temperature effective action, AdS(5) black holes, and 1/N expansion,” *Phys. Rev. D* **71** (2005) 124023 [arXiv:hep-th/0502227]. (CERN, Madrid) (10 citations)
- [94] V. Bozza and G. Veneziano, “Regular two-component bouncing cosmologies and perturbations therein,” arXiv:gr-qc/0506040. (CERN, INFN) (4 citations)
- [95] V. Bozza and G. Veneziano, “Scalar perturbations in regular two-component bouncing cosmologies,” *Phys. Lett. B* **625** (2005) 177 [arXiv:hep-th/0502047]. (CERN, INFN) (7 citations)

- [96] L. Andrianopoli, S. Ferrara, M. A. Lledo and O. Macia, “Integration of massive states as contractions of non linear sigma-models,” *J. Math. Phys.* **46** (2005) 072307 [arXiv:hep-th/0503196]. (CERN, Valencia)
- [97] S. Pascoli, S. T. Petcov and T. Schwetz, “The absolute neutrino mass scale, neutrino mass spectrum, Majorana CP-violation and neutrinoless double-beta decay,” arXiv:hep-ph/0505226. (CERN, Trieste) (14 citations)
- [98] S. Palomares-Ruiz, S. Pascoli and T. Schwetz, “Explaining LSND by a decaying sterile neutrino,” arXiv:hep-ph/0505216. (CERN, Trieste) (1 citation)
- [99] A. Brandenburg, L. Covi, K. Hamaguchi, L. Roszkowski and F. D. Steffen, “Signatures of axinos and gravitinos at colliders,” *Phys. Lett. B* **617** (2005) 99 [arXiv:hep-ph/0501287]. (CERN, Oxford, Bonn) (6 citations)
- [100] N. Arkani-Hamed, S. Dimopoulos, G. F. Giudice and A. Romanino, “Aspects of split supersymmetry,” *Nucl. Phys. B* **709** (2005) 3. (USA, CERN) (Cited 88 times)

## 2 Other publications directly resulting from the project

Palaiseau

- [1] I. Antoniadis and T. R. Taylor, “Note on mediation of supersymmetry breaking from closed to open strings,” arXiv:hep-th/0509048. (cited 1 time)
- [2] I. Antoniadis, “Extra dimensions and possible modifications of Newton’s law,” *J. Phys. Conf. Ser.* **8** (2005) 112.
- [3] I. Antoniadis, “Physics with large extra dimensions,” *Eur. Phys. J. C* **33** (2004) S914.
- [4] E. Dudas, “Neutrinos in extra dimensions,” <http://www.slac.stanford.edu/spires/find/hep/www?irn=6291813SPIRES> entry  
*Prepared for SEESAW25.*
- [5] E. Dudas and S. K. Vempati, “Large D-terms, hierarchical soft spectra and moduli stabilisation,” arXiv:hep-th/0506172. (cited 1 time)
- [6] E. Dudas and S. K. Vempati, “General soft terms from supergravity including D-terms,” arXiv:hep-ph/0506029. (cited 1 time)
- [7] E. Dudas and C. Timirgaziu, “Internal magnetic fields and supersymmetry in orientifolds,” *Nucl. Phys. B* **716** (2005) 65 [arXiv:hep-th/0502085]. (cited 7 times)
- [8] K. R. Dienes, E. Dudas and T. Gherghetta, “A calculable toy model of the landscape,” *Phys. Rev. D* **72** (2005) 026005 [arXiv:hep-th/0412185]. (cited 18 times)
- [9] E. Kiritsis, <http://www.slac.stanford.edu/spires/find/hep/www?irn=6315615SPIRES> entry. *Prepared for RTN Workshop on the Quantum Structure of Space-time and the Geometric Nature of Fundamental Interactions and EXT Workshop on Fundamental Interactions and the Structure of Spacetime, Kolymbari, Crete, Greece.*

- [10] E. Kiritsis, “Holography and brane-bulk energy exchange,” arXiv:hep-th/0504219. (cited 2 times)
- [11] G. D’Appollonio and E. Kiritsis, “D-branes and BCFT in Hpp-wave backgrounds,” Nucl. Phys. B **712** (2005) 433 [arXiv:hep-th/0410269]. (cited 5 times)
- [12] M. Grana, R. Minasian, A. Tomasiello and M. Petrini, “Supersymmetric backgrounds from generalized Calabi-Yau manifolds,” Fortsch. Phys. **53** (2005) 885.
- [13] A. Butti, M. Grana, R. Minasian, M. Petrini and A. Zaffaroni, “The baryonic branch of Klebanov-Strassler solution: A supersymmetric family of SU(3) structure backgrounds,” JHEP **0503** (2005) 069 [arXiv:hep-th/0412187]. (cited 16 times)
- [14] P. Grange and R. Minasian, “Modified pure spinors and mirror symmetry,” arXiv:hep-th/0412086. (cited 5 times)
- [15] P. Kaste and H. Partouche, “On the equivalence of  $N = 1$  brane worlds and geometric singularities with flux,” JHEP **0411** (2004) 033. (cited 1 time)
- [16] S. Detournay, D. Orlando, P. M. Petropoulos and P. Spindel, “Three-dimensional black holes from deformed anti de Sitter,” JHEP **0507** (2005) 072 [arXiv:hep-th/0504231].
- [17] P. M. Petropoulos, “Deformations and geometric cosets,” arXiv:hep-th/0412328.
- [18] D. Israel, C. Kounnas, D. Orlando and P. M. Petropoulos, “Heterotic strings on homogeneous spaces,” Fortsch. Phys. **53** (2005) 1030 [arXiv:hep-th/0412220]. (cited 4 times)
- [19] P. Anastasopoulos and A. B. Hammou, “Classification and a toolbox for orientifold models,” Fortsch. Phys. **53** (2005) 894 [arXiv:hep-th/0503061]. (cited 1 time)
- [20] P. Anastasopoulos, “Orientifolds, anomalies and the standard model,” arXiv:hep-th/0503055. (cited 2 times)
- [21] P. Anastasopoulos and A. B. Hammou, “A classification of toroidal orientifold models,” arXiv:hep-th/0503044. (cited 4 times)
- [22] P. Grange, “D-branes, effective actions and mirror symmetry. (In French),” arXiv:hep-th/0508242.
- [23] P. Grange, “Tachyon potential in a magnetic field with anomalous dimensions,” JHEP **0506** (2005) 018 [arXiv:hep-th/0410180].
- [24] P. Grange, “Deformation of p-adic string amplitudes in a magnetic field,” Phys. Lett. B **616** (2005) 135. (cited 2 times)
- [25] D. Orlando, “AdS(2) x S\*\*2 as an exact heterotic string background,” arXiv:hep-th/0502213.
- [26] M. C. Timirgaziu, “Aspects of non-supersymmetric strings theories or with broken supersymmetry. (In French),” arXiv:hep-th/0502103.

- [27] F. Canoura, A. Paredes and A. V. Ramallo, “Supersymmetric defects in the Maldacena-Nunez background,” arXiv:hep-th/0507155.
- [28] D. Arean, A. Paredes and A. V. Ramallo, “Adding flavor to the gravity dual of non-commutative gauge theories,” JHEP **0508** (2005) 017 [arXiv:hep-th/0505181]. (cited 1 time)
- [29] A. Paredes and P. Talavera, “Multiflavour excited mesons from the fifth dimension,” Nucl. Phys. B **713** (2005) 438 [arXiv:hep-th/0412260]. (cited 11 times)
- [30] A. Paredes, “Supersymmetry and flavor in a sugra dual of  $N = 1$  Yang-Mills,” Fortsch. Phys. **53** (2005) 561 [arXiv:hep-th/0412105].
- [31] L. Baulieu and G. Bossard, “Reconstruction of  $N = 1$  supersymmetry from topological symmetry,” arXiv:hep-th/0507004.
- [32] L. Baulieu and G. Bossard, “New results on  $N = 4$  superYang-Mills theory,” arXiv:hep-th/0507003.
- [33] L. Baulieu, G. Bossard and A. Tanzini, “Topological vector symmetry of BRSTQFT and construction of maximal supersymmetry,” JHEP **0508** (2005) 037 [arXiv:hep-th/0504224]. (cited 2 times)
- [34] P. Binetruiy, G. L. Kane, J. D. Lykken and B. D. Nelson, “Twenty-five questions for string theorists,” arXiv:hep-th/0509157.
- [35] C. Bouchiat and P. Fayet, “Constraints on the parity-violating couplings of a new gauge boson,” Phys. Lett. B **608** (2005) 87 [arXiv:hep-ph/0410260]. (cited 2 times)
- [36] D. Langlois, “Is our Universe brany ?,” arXiv:hep-th/0509231.
- [37] D. Langlois and F. Vernizzi, “Conserved non-linear quantities in cosmology,” arXiv:astro-ph/0509078. (cited 2 times)
- [38] D. Langlois and F. Vernizzi, “Evolution of non-linear cosmological perturbations,” Phys. Rev. Lett. **95** (2005) 091303 [arXiv:astro-ph/0503416]. 12
- [39] M. Minamitsuji, M. Sasaki and D. Langlois, “Kaluza-Klein gravitons are negative energy dust in brane cosmology,” Phys. Rev. D **71** (2005) 084019 [arXiv:gr-qc/0501086]. (cited 2 times)
- [40] D. Langlois, “Gravitation and cosmology in brane-worlds,” arXiv:gr-qc/0410129. (cited 6 times)
- [41] M. Grana, “Flux compactifications in string theory: A comprehensive review,” arXiv:hep-th/0509003. (cited 2 times)
- [42] X. Bekaert and J. Mourad, “The continuous spin limit of higher spin field equations,” arXiv:hep-th/0509092.
- [43] J. Mourad, “Continuous spin particles from a string theory,” arXiv:hep-th/0504118. (cited 2 times)

- [44] C. Deffayet and J. Mourad, “Some properties of multigravity theories and discretized brane worlds,” *Int. J. Theor. Phys.* **43** (2004) 855.
- [45] J. Mourad, “Continuous spin and tensionless strings,” arXiv:hep-th/0410009. (cited 5 times)
- [46] B. Durin and B. Pioline, “Aspects of Dirichlet S-branes,” *Phys. Lett. B* **625** (2005) 291 [arXiv:hep-th/0507059]. (cited 1 time)
- [47] A. Dabholkar, F. Denef, G. W. Moore and B. Pioline, “Precision counting of small black holes,” arXiv:hep-th/0507014. (cited 5 times)
- [48] B. Pioline, “BPS black hole degeneracies and minimal automorphic representations,” *JHEP* **0508** (2005) 071 [arXiv:hep-th/0506228]. (cited 4 times)
- [49] A. Dabholkar, F. Denef, G. W. Moore and B. Pioline, “Exact and asymptotic degeneracies of small black holes,” *JHEP* **0508** (2005) 021 [arXiv:hep-th/0502157]. (cited 25 times)
- [50] B. Pioline and J. Troost, “Schwinger pair production in AdS(2),” *JHEP* **0503** (2005) 043 [arXiv:hep-th/0501169]. (cited 1 time)
- [51] B. Durin and B. Pioline, “Closed strings in Misner space: A toy model for a big bounce?,” arXiv:hep-th/0501145. (cited 10 times)
- [52] G. Sigl and E. Armengaud, “Magnetized sources of ultra-high energy nuclei and extragalactic origin of the ankle,” arXiv:astro-ph/0507656. (cited 1 time)
- [53] E. Armengaud, G. Sigl and F. Miniati, “Ultrahigh energy nuclei propagation in a structured, magnetized universe,” *Phys. Rev. D* **72** (2005) 043009 [arXiv:astro-ph/0412525]. (cited 1 time)
- [54] A. Buonanno, G. Sigl, G. G. Raffelt, H. T. Janka and E. Muller, “Stochastic gravitational wave background from cosmological supernovae,” arXiv:astro-ph/0412277. (cited 5 times)
- [55] G. Sigl, F. Miniati and T. Ensslin, “Cosmic magnetic fields and their influence on ultra-high energy cosmic ray propagation,” *Nucl. Phys. Proc. Suppl.* **136** (2004) 224. (cited 7 times)

Saclay

- [56] G. Cacciapaglia, C. Csaki, C. Grojean, M. Reece and J. Terning, “Top and bottom: A brane of their own,” arXiv:hep-ph/0505001 (cited 8 times).
- [57] M. Boonekamp, J. Cammin, S. Lavignac, R. Peschanski and C. Royon, “Diffractive SUSY particle production at the LHC,” arXiv:hep-ph/0506275 (cited 3 times).
- [58] P. Brax and J. Martin, “Shift symmetry and inflation in supergravity,” *Phys. Rev. D* **72**, 023518 (2005) [arXiv:hep-th/0504168] (cited 2 times).
- [59] P. Brax and J. Martin, “Coupling quintessence to inflation in supergravity,” *Phys. Rev. D* **71**, 063530 (2005) [arXiv:astro-ph/0502069] (cited 3 times).

- [60] A. Barrau, P. Salati, G. Servant, F. Donato, J. Grain, D. Maurin and R. Taillet, “Kaluza-Klein dark matter and galactic antiprotons,” *Phys. Rev. D* **72**, 063507 (2005) [arXiv:astro-ph/0506389] (cited 2 times).
- [61] K. Agashe and G. Servant, “Baryon number in warped GUTs: Model building and (dark matter related) phenomenology,” *JCAP* **0502**, 002 (2005) [arXiv:hep-ph/0411254] (cited 7 times).

Bonn

- [62] J. Louis and W. Schulgin, “Massive tensor multiplets in  $N = 1$  supersymmetry,” *Fortsch. Phys.* **53**, 235 (2005) [arXiv:hep-th/0410149]. (Citations: 12)
- [63] H. P. Nilles, “Five golden rules for superstring phenomenology,” arXiv:hep-th/0410160. (Citations: 5)
- [64] W. Buchmüller, K. Hamaguchi, O. Lebedev and M. Ratz, “Maximal temperature in flux compactifications,” *JCAP* **0501** (2005) 004 [arXiv:hep-th/0411109]. (Citations: 4)
- [65] S. Förste and A. Wingerter, “Bottom Up meets heterotic strings,” *Fortsch. Phys.* **53** (2005) 463 [arXiv:hep-th/0412066]. (Citations: 1)
- [66] T. W. Grimm and J. Louis, “The effective action of type IIA Calabi-Yau orientifolds,” *Nucl. Phys. B* **718**, 153 (2005) [arXiv:hep-th/0412277]. (Citations: 19)
- [67] W. Buchmüller, K. Hamaguchi, O. Lebedev and M. Ratz, “Dual models of gauge unification in various dimensions,” *Nucl. Phys. B* **712** (2005) 139 [arXiv:hep-ph/0412318]. (Citations: 4)
- [68] H. Jockers and J. Louis, “D-terms and F-terms from D7-brane fluxes,” *Nucl. Phys. B* **718**, 203 (2005) [arXiv:hep-th/0502059]. (Citations: 10)
- [69] S. Groot Nibbelink and M. Hillenbach, “Renormalization of supersymmetric gauge theories on orbifolds: Brane gauge couplings and higher derivative operators,” *Phys. Lett. B* **616** (2005) 125 [arXiv:hep-th/0503153]. (Citations: 3)
- [70] S. Förste, H. P. Nilles and A. Wingerter, “Geometry of rank reduction,” *Phys. Rev. D* **72** (2005) 026001 [arXiv:hep-th/0504117]. (Citations: 1)
- [71] M. Lindner, M. Ratz and M. A. Schmidt, “Renormalization group evolution of Dirac neutrino masses,” *JHEP* **0509** (2005) 081 [arXiv:hep-ph/0506280]. (Citations: 2)
- [72] O. Loaiza-Brito, J. Martin, H. P. Nilles and M. Ratz, “ $\log(M(\text{Pl}/m(3/2)))$ ,” arXiv:hep-th/0509158.

Greece

- [73] J. D. Vergados, “Some issues related to the direct detection of SUSY dark matter,” arXiv:hep-ph/0410378 (1 citation).
- [74] J. D. Vergados, “Dark matter in the cosmos: Its direct detection and the role of nuclear physics,” arXiv:nucl-th/0411021.

- [75] J. D. Vergados, “Exploring novel signatures for direct neutralino searches,” arXiv:astro-ph/0411126.
- [76] C. Panagiotakopoulos, “Realizations of hybrid inflation in supergravity with natural initial conditions,” Phys. Rev. D **71** (2005) 063516 [arXiv:hep-ph/0411143].
- [77] G. J. Gounaris, J. Layssac, P. I. Porfyriadis and F. M. Renard, “Single neutralino production at CERN LHC,” Phys. Rev. D **71** (2005) 075012 [arXiv:hep-ph/0411366] (1 citation).
- [78] P. S. Apostolopoulos and N. Tetradis, “Brane cosmological evolution with a general bulk matter configuration,” Phys. Rev. D **71** (2005) 043506 [arXiv:hep-th/0412246] (7 citations).
- [79] G. J. Gounaris and F. M. Renard, “About helicity conservation in gauge boson scattering at high energy,” Phys. Rev. Lett. **94** (2005) 131601 [arXiv:hep-ph/0501046] (2 citations).
- [80] J. D. Vergados and H. Ejiri, “The role of ionization electrons in direct neutralino detection,” Phys. Lett. B **606** (2005) 313.
- [81] P. S. Apostolopoulos, N. Brouzakis, E. N. Saridakis and N. Tetradis, “Mirage effects on the brane,” Phys. Rev. D **72** (2005) 044013 [arXiv:hep-th/0502115] (3 citations).
- [82] G. Lazarides, “Density perturbations from both the inflaton and the curvaton,” Nucl. Phys. Proc. Suppl. **148** (2005) 84 [arXiv:hep-ph/0502172].
- [83] P. Aschieri, J. Madore, P. Manousselis and G. Zoupanos, “Renormalizable theories from fuzzy higher dimensions,” arXiv:hep-th/0503039 (2 citations).
- [84] A. Kehagias and N. D. Tracas, “Standard and non-standard extra matter for non-supersymmetric unification,” arXiv:hep-ph/0506144.
- [85] C. C. Moustakidis, J. D. Vergados and H. Ejiri, “Direct dark matter detection by observing electrons produced in neutralino nucleus collisions,” arXiv:hep-ph/0507123 (1 citation).
- [86] A. Kehagias and K. Tamvakis, “Bulk Higgs with 4D gauge interactions,” arXiv:hep-th/0507130 (1 citation).
- [87] N. Tetradis, “Dark energy and dark matter in galaxy halos,” arXiv:hep-ph/0507288 (1 citation).
- [88] D. V. Gioutsos, G. K. Leontaris and J. Rizos, “Gauge coupling and fermion mass relations in low string scale brane models,” arXiv:hep-ph/0508120.
- [89] P. S. Apostolopoulos and N. Tetradis, “The generalized dark radiation and accelerated expansion in brane cosmology,” arXiv:hep-th/0509182.
- [90] N. Brouzakis and N. Tetradis, “Static Configurations of Dark Energy and Dark Matter,” arXiv:astro-ph/0509755.

INFN

- [91] F. Feruglio, “Models of neutrino masses and mixings,” Nucl. Phys. Proc. Suppl. **143** (2005) 184 [Nucl. Phys. Proc. Suppl. **145** (2005) 225] [arXiv:hep-ph/0410131]. (Citations: 9)
- [92] A. Datta, D. Fargion and B. Mele, “SUSY Resonances from UHE Neutralinos in Neutrino Telescopes and in the Sky”, JHEP **09** (2005) 007, (Citations: 6) A. Datta, D. Fargion and B. Mele, “UHE neutralino signatures: Selectron/squark resonances in neutrino telescopes, and sneutrino bursts in the universe,” arXiv:hep-ph/0410176. (Citations: 6)
- [93] E. W. Kolb, S. Matarrese, A. Notari and A. Riotto, “Cosmological influence of super-Hubble perturbations,” arXiv:astro-ph/0410541. (Citations: 15)
- [94] E. W. Kolb, A. Riotto and A. Vallinotto, “Curvature perturbations from broken symmetries,” Phys. Rev. D **71** (2005) 043513 [arXiv:astro-ph/0410546]. (Citations: 4)
- [95] S. Matarrese, S. Mollerach, A. Notari and A. Riotto, “Large-scale magnetic fields from density perturbations,” Phys. Rev. D **71** (2005) 043502 [arXiv:astro-ph/0410687]. (Citations: 6)
- [96] M. Passera, “The standard model prediction of the muon anomalous magnetic moment,” J. Phys. G **31** (2005) R75 [arXiv:hep-ph/0411168]. (Citations: 27)
- [97] D. J. H. Chung, E. W. Kolb, A. Riotto and L. Senatore, “Isocurvature constraints on gravitationally produced superheavy dark matter,” Phys. Rev. D **72** (2005) 023511 [arXiv:astro-ph/0411468]. (Citations: 1)
- [98] Y. Nakayama, K. L. Panigrahi, S. J. Rey and H. Takayanagi, “Rolling down the throat in NS5-brane background: The case of electrified D-brane,” JHEP **0501**, 052 (2005) [arXiv:hep-th/0412038]. (Citations: 21)
- [99] J. Lesgourgues, M. Liguori, S. Matarrese and A. Riotto, “CMB lensing extraction and primordial non-Gaussianity,” Phys. Rev. D **71** (2005) 103514 [arXiv:astro-ph/0412551]. (Citations: 3)
- [100] B. Eden, C. Jarzszak, E. Sokatchev and Y. S. Stanev, “Operator mixing in  $N = 4$  SYM: The Konishi anomaly revisited,” Nucl. Phys. B **722**, 119 (2005) [arXiv:hep-th/0501077]. (Citations: 5)
- [101] M. L. Alciati, F. Feruglio, Y. Lin and A. Varagnolo, “Proton lifetime from SU(5) unification in extra dimensions,” JHEP **0503** (2005) 054 [arXiv:hep-ph/0501086]. (Citations: 2)
- [102] L. Cornalba, M. S. Costa and J. Penedones, “Coleman meets Schwinger,” Phys. Rev. D **72** (2005) 046002 [arXiv:hep-th/0501151]. (Citations: 1)
- [103] E. Barausse, S. Matarrese and A. Riotto, “The Effect of Inhomogeneities on the Luminosity Distance-Redshift Relation: is Dark Energy Necessary in a Perturbed Universe?,” Phys. Rev. D **71** (2005) 063537 [arXiv:astro-ph/0501152]. (Citations: 11)

- [104] A. Sagnotti, E. Sezgin and P. Sundell, “On higher spins with a strong  $Sp(2,R)$  condition,” arXiv:hep-th/0501156. (Citations: 13)
- [105] F. R. Joaquim, “Radiative leptogenesis in minimal seesaw models,” Nucl. Phys. Proc. Suppl. **145** (2005) 276 [arXiv:hep-ph/0501221]. (Citations: 1)
- [106] M. Viel, J. Lesgourgues, M. G. Haehnelt, S. Matarrese and A. Riotto, “Constraining warm dark matter candidates including sterile neutrinos and light gravitinos with WMAP and the Lyman-alpha forest,” Phys. Rev. D **71** (2005) 063534 [arXiv:astro-ph/0501562]. (Citations: 20)
- [107] A. Masiero and F. Rosati, “Possible influence of dark energy on the dark matter relic abundance,” arXiv:astro-ph/0501571.
- [108] G. Marandella, C. Schappacher and A. Strumia, “Supersymmetry and precision data after LEP2,” Nucl. Phys. B **715** (2005) 173 [arXiv:hep-ph/0502095]. (Citations: 8)
- [109] G. Marandella, C. Schappacher and A. Strumia, “Little-Higgs corrections to precision data after LEP2,” Phys. Rev. D **72** (2005) 035014 [arXiv:hep-ph/0502096]. (Citations: 11)
- [110] M. Bianchi and E. Trevigne, “The open story of the magnetic fluxes,” JHEP **0508** (2005) 034 [arXiv:hep-th/0502147]. (Citations: 9)
- [111] M. Bianchi and V. Didenko, “Massive higher spin multiplets and holography,” arXiv:hep-th/0502220. (Citations: 7)
- [112] L. Genovese and Y. S. Stanev, “Rationality of the anomalous dimensions in  $N = 4$  SYM theory,” Nucl. Phys. B **721**, 212 (2005) [arXiv:hep-th/0503084].
- [113] P. Ko, J. h. Park and A. Masiero, “ $Re(\epsilon'/\epsilon(K))$  vs.  $B/d \rightarrow \Phi K(S)$  CP asymmetry,” Phys. Rev. D **72** (2005) 016004 [arXiv:hep-ph/0503102]. (Citations: 3)
- [114] E. W. Kolb, S. Matarrese, A. Notari and A. Riotto, “Primordial inflation explains why the universe is accelerating today,” arXiv:hep-th/0503117. (Citations: 29)
- [115] Y. Hikida, R. R. Nayak and K. L. Panigrahi, “D-branes in a big bang / big crunch universe: Nappi-Witten gauged WZW model,” JHEP **0505**, 018 (2005) [arXiv:hep-th/0503148]. (Citations: 4)
- [116] S. Dodelson, E. W. Kolb, S. Matarrese, A. Riotto and P. Zhang, “Second Order Geodesic Corrections to Cosmic Shear,” arXiv:astro-ph/0503160. (Citations: 1)
- [117] G. Villadoro and F. Zwirner, “ $N = 1$  effective potential from dual type-IIA D6/O6 orientifolds with general fluxes,” JHEP **0506** (2005) 047 [arXiv:hep-th/0503169]. (Citations: 18)
- [118] A. Strumia and F. Vissani, “Implications of neutrino data circa 2005,” Nucl. Phys. B **726** (2005) 294 [arXiv:hep-ph/0503246]. (Citations: 32)
- [119] M. Bianchi, P. J. Heslop and F. Riccioni, “More on la grande bouffe,” JHEP **0508** (2005) 088 [arXiv:hep-th/0504156]. (Citations: 5)

- [120] J. I. Illana, M. Masip and D. Meloni, “TeV gravity at neutrino telescopes,” *Phys. Rev. D* **72** (2005) 024003 [arXiv:hep-ph/0504234]. (Citations: 1)
- [121] J. Kluson and K. L. Panigrahi, “Supertube dynamics in diverse backgrounds,” *JHEP* **0508**, 033 (2005) [arXiv:hep-th/0506012]. (Citations: 5)
- [122] M. Bianchi and E. Trevigne, “Gauge thresholds in the presence of oblique magnetic fluxes,” arXiv:hep-th/0506080.
- [123] L. Cornalba and M. S. Costa, “Unitarity in the presence of closed timelike curves,” arXiv:hep-th/0506104. (Citations: 2)
- [124] M. Cirelli, N. Fornengo, T. Montaruli, I. Sokalski, A. Strumia and F. Vissani, “Spectra of neutrinos from dark matter annihilations,” arXiv:hep-ph/0506298. (Citations: 1)
- [125] E. W. Kolb, S. Matarrese and A. Riotto, “On cosmic acceleration without dark energy,” arXiv:astro-ph/0506534. (Citations: 9)
- [126] G. C. Rossi, E. Sokatchev and Y. S. Stanev, “New results in the deformed  $N = 4$  SYM theory,” arXiv:hep-th/0507113. (Citations: 3)
- [127] D. Francia and A. Sagnotti, “Minimal local Lagrangians for higher-spin geometry,” *Phys. Lett. B* **624**, 93 (2005) [arXiv:hep-th/0507144]. (Citations: 4)
- [128] M. Ciuchini, M. Pierini and L. Silvestrini, “The effect of penguins in the  $B_d \rightarrow J/\psi K^0$  CP asymmetry,” accepted for publication in *Phys. Rev. Lett.*, arXiv:hep-ph/0507290. (Citations: 1)
- [129] Y. Hikida, R. R. Nayak and K. L. Panigrahi, “D-branes in a big bang / big crunch universe: Misner space,” arXiv:hep-th/0508003. (Citations: 2)
- [130] I. Masina, “A maximal atmospheric mixing from a maximal CP violating phase,” arXiv:hep-ph/0508031.
- [131] G. Villadoro and F. Zwirner, “de Sitter vacua via consistent D-terms,” arXiv:hep-th/0508167. (Citations: 1)
- [132] J. Kluson and K. L. Panigrahi, “Anti-de Sitter D-brane dynamics,” arXiv:hep-th/0509065.
- [133] M. Liguori, F. K. Hansen, E. Komatsu, S. Matarrese and A. Riotto, “Testing Primordial Non-Gaussianity in CMB Anisotropies,” arXiv:astro-ph/0509098.
- [134] L. Amendola and R. Barbieri, “Dark Matter from an ultra-light pseudo-Goldstone boson,” arXiv:hep-ph/0509257.
- [135] M. Passera, “Status of the Standard Model Prediction of the Muon  $g-2$ ,” arXiv:hep-ph/0509372.
- [136] A. Masiero, “Highlights on SUSY phenomenology,” *AIP Conf. Proc.* **744** (2005) 27.
- [137] A. Masiero and T. Montaruli, “Summary of session ‘Atlas Coelestis: Neutrinos from heavens’,” *Nucl. Phys. Proc. Suppl.* **145** (2005) 373.

- [138] A. Riotto, “The Effect of Inhomogeneities on the Luminosity Distance-Redshift Relation: is Dark Energy Necessary in a Perturbed Universe?,” eConf **C041213** (2004) 0006.

Trieste

- [139] L. F. Alday, J. R. David, E. Gava and K. S. Narain, “Structure constants of planar  $N=4$  Yang-Mills at one loop,” arXiv:hep-th/0502186 (Citations: 5)
- [140] M. Cirafici, J. R. David, E. Gava and K.S. Narain, “Spacetime properties of ZZ D-branes,” JHEP **0507** (2005) 036 [arXiv:hep-th/05040422].
- [141] B. Bajc and G. Senjanovic, “Radiative seesaw and degenerate neutrinos,” arXiv:hep-ph/0507169. (Citations: 1)
- [142] B. Bajc and G. Senjanovic, “Radiative seesaw: a case for split supersymmetry,” Phys. Lett. B **610** (2005) 80 [arXiv:hep-ph/0411193]. (Citations: 16)
- [143] G. Senjanovic, “Physical scales and neutrino masses in Grand Unified Theories,” Nucl. Phys. Proc. Suppl. **145** (2005) 250.
- [144] E. Kh. Akhmedov, M. Maltoni and A. Yu. Smirnov, “Oscillations of high energy neutrinos in matter: precise formalism and parametric resonance,” arXiv:hep-ph/0506064.
- [145] M. Lindner, M. A. Schmidt and A. Yu. Smirnov, “Screening of Dirac flavor structure in the seesaw and neutrino mixing,” JHEP **0507** (2005) 048 [arXiv:hep-ph/0505067]. (Citations: 6)
- [146] A. D. Dolgov, S. H. Hansen and A. Yu. Smirnov, “Neutrino statistics and big bang nucleosynthesis,” JCAP **0506** (2005) 004 [arXiv:astro-ph/0503612]. (Citations: 5)
- [147] A. D. Dolgov and A. Yu. Smirnov, “Possible violation of the spin-statistics relation for neutrinos: cosmological and astrophysical consequences,” Phys. Lett. B **621** (2005) 1 [arXiv:astro-ph/0501066]. (Citations: 5)
- [148] S. Goswami and A. Yu. Smirnov, “Solar neutrinos and 1-3 leptonic mixing,” Phys. Rev. D **72** (2005) 053011 [arXiv:hep-ph/0411359. (Citations: 8)
- [149] B. S. Acharya, F. Denef and R. Valandro, “Statistics of M theory vacua,” JHEP **0506** (2005) 056 [arXiv: hep-th/0502060].
- [150] J. Babington and J. Erdmenger, “Space-time dependent couplings in  $N=1$  SUSY gauge gauge theories: anomalies and central functions,” JHEP **0506** (2005) 004 [arXiv:hep-th/0502214].
- [151] S. M. Barr and I. Dorsner, “A prediction from the type III see-saw mechanism,” arXiv: hep-ph/0507067. (Citations: 2)
- [152] I. Dorsner and P. F. Perez, “Unification without supersymmetry: neutrino mass, proton decay and light leptoquarks,” Nucl. Phys. B **723** (2005) 53 [arXiv:hep-ph/0504276].

- [153] S. M. Barr and I. Dorsner, “The origin of a peculiar extra  $U(1)$ ,” *Phys. Rev. D* **72** (2005) 015011 [arXiv:hep-ph/0503186]
- [154] I. Dorsner and P. F. Perez, “How long could we live?,” *Phys. Lett. B* **625** (2005) 88 [arXiv:hep-ph/0410198]. (Citations: 4)
- [155] T. S. Nyawelo, “Gauged supersymmetric sigma-models and soft breaking terms,” arXiv:hep-ph/0507131.
- [156] T. S. Nyawelo, “Phenomenological analysis of supersymmetric sigma-models on coset spaces  $SO(10)/U(5)$  and  $E6/[SO(10) \times U(1)]$ ,” arXiv:hep-ph/0412123.
- [157] S. T. Petcov, T. Shindou and Y. Takanishi, “Majorana CP-violating phases, RG running of neutrino mixing parameters and charged lepton flavor violating decays,” arXiv:hep-ph/0508243.
- [158] F. Bazzocchi, “Phenomenology of the little flavon model,” *Phys. Rev. D* **70** (2005) 013002 [arXiv:hep-ph/0401105]. (Citations: 3)
- [159] F. Bazzocchi, M. Fabbrichesi and M. Piai, “The littlest Higgs is a cruiserweight,” arXiv:hep-ph/0506175.
- [160] F. Bazzocchi and M. Fabbrichesi, “Flavor and electroweak symmetry breaking at the TeV scale,” *Nucl. Phys. B* **715** (2005) 372 [arXiv:hep-ph/0410107]. (Citations: 1)
- [161] F. Bazzocchi and M. Fabbrichesi, “A heavy Higgs boson from flavor and electroweak symmetry breaking unification,” *Phys. Rev. D* **70** (2005) 115008 [arXiv:hep-ph/0407358]. (Citations: 2)
- [162] F. Bazzocchi, S. Bertolini and M. Fabbrichesi, “Fermion masses and mixings in the little flavon model,” *Phys. Rev. D* **69** (2004) 036002 (Citations: 5)
- [163] S. Bertolini and M. Malinsky, “On CP violation in minimal renormalizable SUSY  $SO(10)$  and beyond ,” *Phys.Rev.D*72:055021,2005 [arXiv:hep-ph/0504241]. (Citations: 7)

Lisbon

- [164] W. Grimus and L. Lavoura, “A model realizing the Harrison-Perkins-Scott lepton mixing matrix,” arXiv:hep-ph/0509239.
- [165] V. Cardoso, M. C. Espirito Santo, A. Onofre, M. Paulos, M. Pimenta, J. C. Romao and B. Tome, “Sensitivity of large air shower experiments for new physics searches,” arXiv:hep-ph/0508102.
- [166] M. C. Espirito Santo, A. Onofre, M. Paulos, M. Pimenta, J. C. Romao and B. Tome, “The sensitivity of cosmic ray air shower experiments for leptoquark detection,” arXiv:hep-ph/0508100.
- [167] W. Grimus and L. Lavoura, “ $S(3) \times Z(2)$  model for neutrino mass matrices,” *JHEP* **0508** (2005) 013 [arXiv:hep-ph/0504153]. (Cited 8 times)

- [168] L. Lavoura and E. Ma, “Two predictive supersymmetric  $S(3) \times Z(2)$  models for the quark mass matrices,” *Mod. Phys. Lett. A* **20** (2005) 1217 [arXiv:hep-ph/0502181]. (Cited 1 time)
- [169] G. C. Branco, M. N. Rebelo and J. I. Silva-Marcos, “CP-odd invariants in models with several Higgs doublets,” *Phys. Lett. B* **614** (2005) 187 [arXiv:hep-ph/0502118]. (Cited 3 times)
- [170] M. N. Rebelo, “Leptonic CP violation and baryon asymmetry,” arXiv:hep-ph/0502099.
- [171] M. C. Espirito Santo, M. Paulos, M. Pimenta, J. C. Romao and B. Tome, “The sensitivity of cosmic ray air shower experiments for excited lepton detection,” arXiv:hep-ph/0412345. (Cited 2 times)
- [172] W. Grimus and L. Lavoura, “On a model with two zeros in the neutrino mass matrix,” *J. Phys. G* **31** (2005) 693 [arXiv:hep-ph/0412283]. (Cited 4 times)
- [173] L. Lavoura, “Zeros of the inverted neutrino mass matrix,” *Phys. Lett. B* **609** (2005) 317 [arXiv:hep-ph/0411232]. (Cited 6 times)
- [174] G. C. Branco and M. N. Rebelo, “Leptonic CP violation and neutrino mass models,” *New J. Phys.* **7** (2005) 86 [arXiv:hep-ph/0411196]. (Cited 6 times)
- [175] W. Grimus and L. Lavoura, “Softly broken lepton number  $L(e)-L(\mu)-L(\tau)$  with non-maximal solar neutrino mixing,” *J. Phys. G* **31** (2005) 683 [arXiv:hep-ph/0410279]. (Cited 10 times)
- [176] W. Grimus and L. Lavoura, “Renormalization of the neutrino mass operators in the multi-Higgs-doublet standard model,” *Eur. Phys. J. C* **39** (2005) 219. (Cited 3 times)
- Madrid
- [177] P. G. Camara, A. Font and L. E. Ibanez, “Fluxes, moduli fixing and MSSM-like vacua in a simple IIA orientifold,” arXiv:hep-th/0506066.
- [178] A. Font and L. E. Ibanez, “SUSY-breaking soft terms in a MSSM magnetized D7-brane model,” *JHEP* **0503** (2005) 040 [arXiv:hep-th/0412150].
- [179] J. A. Casas, J. R. Espinosa and I. Hidalgo, “Implications for new physics from fine-tuning arguments. II: Little Higgs models,” *JHEP* **0503** (2005) 038 [arXiv:hep-ph/0502066].
- [180] J. A. Casas, J. R. Espinosa and I. Hidalgo, “Implications for new physics from fine-tuning arguments. I: Application to SUSY and seesaw cases,” *JHEP* **0411** (2004) 057 [arXiv:hep-ph/0410298].
- [181] A. Ibarra, “Tachyonic squarks in split supersymmetry,” *Phys. Lett. B* **620** (2005) 164 [arXiv:hep-ph/0503160].
- [182] A. Ibarra, E. Masso and J. Redondo, “Systematic approach to gauge-invariant relations between lepton flavor violating processes,” *Nucl. Phys. B* **715** (2005) 523 [arXiv:hep-ph/0410386].

- [183] A. Diaz-Gil, J. Garcia-Bellido, M. G. Perez and A. Gonzalez-Arroyo, “Magnetic field production after inflation,” arXiv:hep-lat/0509094.
- [184] M. Beltran, J. Garcia-Bellido, J. Lesgourgues and M. Viel, “Squeezing the window on isocurvature modes with the Lyman-alpha forest,” arXiv:astro-ph/0509209.
- [185] J. Garcia-Bellido, “Cosmology and Astrophysics,” arXiv:astro-ph/0502139.
- [186] M. Beltran, J. Garcia-Bellido, J. Lesgourgues, A. R. Liddle and A. Slosar, “Bayesian model selection and isocurvature perturbations,” Phys. Rev. D **71**, 063532 (2005) [arXiv:astro-ph/0501477].
- [187] E. Arganda, A. M. Curiel, M. J. Herrero and D. Temes, “Lepton flavor changing Higgs boson decays in SUSY with  $\nu(R)$ ,” arXiv:hep-ph/0506128.
- [188] E. Arganda, A. M. Curiel, M. J. Herrero and D. Temes, “Lepton flavor violating Higgs boson decays in the MSSM-seesaw,” arXiv:hep-ph/0411048.
- [189] A. Donini, E. Fernandez-Martinez and S. Rigolin, “ $\nu_\mu$  disappearance at the SPL, T2K-I and the Neutrino Factory,” arXiv:hep-ph/0509349.
- [190] A. Donini, E. Fernandez-Martinez and S. Rigolin, “Appearance and disappearance signals at a beta-beam and a super-beam facility,” Phys. Lett. B **621**, 276 (2005) [arXiv:hep-ph/0411402].
- [191] S. Rigolin, “Degeneracies at a beta-beam and a super-beam facility,” Nucl. Phys. Proc. Suppl. **145**, 203 (2005) [arXiv:hep-ph/0411403].
- [192] M. P. Garcia del Moral, “A new mechanism of Kahler moduli stabilization in type IIB theory,” arXiv:hep-th/0506116.
- [193] M. P. Garcia del Moral and A. Restuccia, “The supermembrane with central charge as a bundle of D2 - D0 branes,” arXiv:hep-th/0410288.
- [194] D. E. Lopez-Fogliani and C. Munoz, “Proposal for a new minimal supersymmetric standard model,” arXiv:hep-ph/0508297.
- [195] T. Kobayashi and C. Munoz, “More about soft terms and FCNC in realistic string constructions,” arXiv:hep-ph/0508286.
- [196] D. G. Cerdeno, K. Y. Choi, K. Jedamzik, L. Roszkowski and R. R. de Austri, “Gravitino dark matter in the CMSSM with improved constraints from BBN,” arXiv:hep-ph/0509275.
- [197] D. Diego, G. von Gersdorff and M. Quiros, “Supersymmetry and electroweak breaking in the interval,” arXiv:hep-ph/0505244.
- [198] M. Carena, A. Megevand, M. Quiros and C. E. M. Wagner, “Electroweak baryogenesis and new TeV fermions,” Nucl. Phys. B **716**, 319 (2005) [arXiv:hep-ph/0410352].
- [199] C. Biggio and M. Quiros, “Tadpoles and symmetries in Higgs-gauge unification theories,” arXiv:hep-ph/0410226.

- [200] L. Da Rold and A. Pomarol, “Chiral symmetry breaking from five dimensional spaces,” Nucl. Phys. B **721**, 79 (2005) [arXiv:hep-ph/0501218].
- [201] K. Agashe, R. Contino and A. Pomarol, “The minimal composite Higgs model,” Nucl. Phys. B **719**, 165 (2005) [arXiv:hep-ph/0412089].
- [202] I. Hidalgo, “The fine-tuning problem in little Higgs models,” arXiv:hep-ph/0505063.
- [203] A. Font, “Z(N) orientifolds with flux,” JHEP **0411** (2004) 077 [arXiv:hep-th/0410206].
- [204] A. M. Uranga, “D-brane models and flux supersymmetry breaking,” Comptes Rendus Physique **5** (2004) 987.
- [205] S. Rigolin, “Physics reach of  $\beta$ -beams and  $\nu$ -factories: the problem of degeneracies,” arXiv:hep-ph/0509366.
- [206] A.M. Teixeira, “Direct detection of neutralino dark matter in the NMSSM”, arXiv:hep-ph/0412076.

Valencia

- [207] M. Hirsch, W. Porod and D. Restrepo, “Collider signals of gravitino dark matter in bilinearly broken R-parity,” JHEP **0503**, 062 (2005) [arXiv:hep-ph/0503059]. (Cited 3 times)
- [208] F. de Campos, O. J. P. Eboli, M. B. Magro, W. Porod, D. Restrepo and J. W. F. Valle, “Probing neutrino mass with displaced vertices at the Tevatron,” Phys. Rev. D **71**, 075001 (2005) [arXiv:hep-ph/0501153]. (Cited 2 times)
- [209] D. Aristizabal Sierra, M. Hirsch and W. Porod, “R-parity violating sneutrino decays,” JHEP **0509** (2005) 033 [arXiv:hep-ph/0409241]. (Cited 3 times)
- [210] M. Hirsch, A. Villanova del Moral, J. W. F. Valle and E. Ma, “Predicting neutrinoless double beta decay,” arXiv:hep-ph/0507148, Phys. Rev. D **vv**, vv (2005), in press
- [211] E. K. Akhmedov, M. A. Tortola and J. W. F. Valle, “Geotomography with solar and supernova neutrinos,” JHEP **0506**, 053 (2005) [arXiv:hep-ph/0502154].
- [212] F. Deppisch and J. W. F. Valle, “Enhanced lepton flavour violation in the supersymmetric inverse seesaw model,” Phys. Rev. D **72** (2005) 036001. (Cited 7 times)
- [213] O. G. Miranda, T. I. Rashba, A. I. Rez and J. W. F. Valle, Phys. Rev. D **70** (2004) 113002 (Cited 5 times)
- [214] J. W. F. Valle, “Neutrino masses and oscillations,” arXiv:hep-ph/0509262.
- [215] J. W. F. Valle, “Neutrino oscillations and new physics,” Nucl. Phys. Proc. Suppl. **145**, 141 (2005) [arXiv:hep-ph/0508067].
- [216] V. B. Semikoz, C. P. Burgess, N. S. Dzhililov, T. I. Rashba and J. W. F. Valle, “MHD origin of density fluctuations deep within the sun and their influence on neutrino oscillation parameters in LMA MSW scenario,” Phys. Atom. Nucl. **67**, 1147 (2004) [Yad. Fiz. **67**, 1172 (2004)].

- [217] O. G. Miranda, M. A. Tortola and J. W. F. Valle, “Subleading effects in the 1-2 sector: Non-standard neutrino interactions,” Nucl. Phys. Proc. Suppl. **145**, 61 (2005).
- [218] J. W. F. Valle, “Physics of massive neutrinos,” Nucl. Phys. Proc. Suppl. **149**, 3 (2005) [arXiv:hep-ph/0410103].
- [219] E. K. Akhmedov, M. A. Tortola and J. W. F. Valle, “Solar neutrino day-night effect and Theta(13),” Nucl. Phys. Proc. Suppl. **145**, 57 (2005).
- [220] CLIC Physics Working Group *et al.*, “Physics at the CLIC multi-TeV linear collider,” arXiv:hep-ph/0412251.
- [221] W. Porod, “Lepton number violation in decays of supersymmetric particles,” arXiv:hep-ph/0410318.
- [222] Y. Farzan and J. W. F. Valle, “R-parity violation assisted thermal leptogenesis in the seesaw mechanism,” arXiv:hep-ph/0509280.
- [223] A. Freitas, W. Porod and P. M. Zerwas, “Determining sneutrino masses and physical implications,” arXiv:hep-ph/0509056.
- Oxford
- [224] J. P. Conlon and F. Quevedo, “Kähler moduli inflation,” arXiv:hep-th/0509012.
- [225] D. M. Ghilencea, D. Hoover, C. P. Burgess and F. Quevedo, “Casimir energies for 6D supergravities compactified on  $T(2)/Z(N)$  with Wilson lines,” JHEP **0509** (2005) 050 [arXiv:hep-th/0506164].
- [226] R. Hodgson, I. Jack, D. R. T. Jones and G. G. Ross, “Anomaly mediation, Fayet-Iliopoulos D-terms and precision sparticle spectra,” Nucl. Phys. B **728** (2005) 192 [arXiv:hep-ph/0507193].
- [227] I. de Medeiros Varzielas and G. G. Ross, “SU(3) family symmetry and neutrino bi-tri-maximal mixing,” arXiv:hep-ph/0507176.
- [228] G.G.Ross, “The Quest for Unification,” in \*Shifman, M. (ed.) et al.(2005): From fields to strings, vol. 2, 879.
- [229] G. G. Ross, “Wilson line breaking and gauge coupling unification,” arXiv:hep-ph/0411057.
- [230] D. H. Lyth and L. Alabidi, “Inflation models and observation,” arXiv:astro-ph/0510441.
- [231] D. H. Lyth and I. Zaballa, “A Bound Concerning Primordial Non-Gaussianity,” arXiv:astro-ph/0507608.
- [232] L. Boubekeur and D. H. Lyth, “Detecting a small perturbation through its non-Gaussianity,” arXiv:astro-ph/0504046.
- [233] D. H. Lyth and Y. Rodriguez, “The inflationary prediction for primordial non-gaussianity,” Phys. Rev. Lett. **95** (2005) 121302 [arXiv:astro-ph/0504045].

- [234] T. Flacke, D. Hooper and J. March-Russell, “Improved bounds on universal extra dimensions and consequences for LKP dark matter,” arXiv:hep-ph/0509352.
- [235] T. Flacke, B. Hassanain and J. March-Russell, “Pseudo-Goldstones from supersymmetric Wilson lines on 5D orbifolds,” arXiv:hep-ph/0503255.
- [236] S. L. Parameswaran, **G. Tasinato YR** and I. Zavala, “The 6D SuperSwirl,” arXiv:hep-th/0509061. **YR**
- [237] M. R. Ramage, “Effects of SO(10)-inspired scalar non-universality on the MSSM parameter space at large tan beta,” Nucl. Phys. B **720** (2005) 137 [arXiv:hep-ph/0412153].

Warsaw

- [238] P. H. Chankowski, O. Lebedev and S. Pokorski, “Flavour violation in general supergravity,” Nucl. Phys. B **717** (2005) 190 [arXiv:hep-ph/0502076]. (8 citations)
- [239] A. Falkowski, “On the one-loop Kaehler potential in five-dimensional brane-world supergravity,” JHEP **0505** (2005) 073 [arXiv:hep-th/0502072]. (4 citations)
- [240] A. Falkowski, H. M. Lee and C. Ludeling, “Gravity mediated supersymmetry breaking in six dimensions,” arXiv:hep-th/0504091. (3 citations)
- [241] Z. Lalak and R. Matyszkiewicz, “R-symmetries from higher dimensions,” arXiv:hep-ph/0506223.
- [242] Z. Berezhiani, P. H. Chankowski, A. Falkowski and S. Pokorski, “Double protection of the Higgs potential,” arXiv:hep-ph/0509311. (1 citation)

CERN

- [243] T. Gregoire, R. Rattazzi and C. A. Scrucca, “D-type supersymmetry breaking and brane-to-brane gravity mediation,” arXiv:hep-ph/0505126. (2 citations)
- [244] A. Delgado and G. F. Giudice, “On the tuning condition of split supersymmetry,” arXiv:hep-ph/0506217.
- [245] P. Gambino, G. F. Giudice and P. Slavich, “Gluino decays in split supersymmetry,” Nucl. Phys. B **726** (2005) 35 [arXiv:hep-ph/0506214]. (9 citations)
- [246] S. L. Dubovsky, P. G. Tinyakov and I. I. Tkachev, “Cosmological attractors in massive gravity,” arXiv:hep-th/0504067. (3 citations)
- [247] S. L. Dubovsky, P. G. Tinyakov and I. I. Tkachev, “Massive graviton as a testable cold dark matter candidate,” Phys. Rev. Lett. **94** (2005) 181102 [arXiv:hep-th/0411158]. (7 citations)
- [248] A. Delgado and T. M. P. Tait, “A fat Higgs with a fat top,” JHEP **0507** (2005) 023 [arXiv:hep-ph/0504224].
- [249] L. Alvarez-Gaume and M. A. Vazquez-Mozo, “On nonanticommutative  $N = 2$  sigma-models in two dimensions,” JHEP **0504** (2005) 007 [arXiv:hep-th/0503016]. (9 citations)

- [250] G. Altarelli, “Normal and special models of neutrino masses and mixings,” arXiv:hep-ph/0508053. (5 citations)
- [251] A. Armoni, M. Shifman and G. Veneziano, “Refining the proof of planar equivalence,” Phys. Rev. D **71** (2005) 045015 [arXiv:hep-th/0412203]. (7 citations)
- [252] G. Veneziano, “String-theoretic unitary S-matrix at the threshold of black-hole production,” JHEP **0411** (2004) 001 [arXiv:hep-th/0410166]. (4 citations)
- [253] R. D’Auria, S. Ferrara and M. Trigiante, “Curvatures and potential of M-theory in  $D = 4$  with fluxes and twist,” JHEP **0509** (2005) 035 [arXiv:hep-th/0507225]. (2 citations)
- [254] G. Dall’Agata, R. D’Auria and S. Ferrara, “Compactifications on twisted tori with fluxes and free differential algebras,” Phys. Lett. B **619** (2005) 149 [arXiv:hep-th/0503122]. (6 citations)
- [255] R. D’Auria, S. Ferrara, M. Trigiante and S. Vaula, “ $N = 1$  reductions of  $N = 2$  supergravity in the presence of tensor multiplets,” JHEP **0503** (2005) 052 [arXiv:hep-th/0502219]. (3 citations)
- [256] G. Dall’Agata and S. Ferrara, “Gauged supergravity algebras from twisted tori compactifications with fluxes,” Nucl. Phys. B **717** (2005) 223 [arXiv:hep-th/0502066]. (16 citations)
- [257] S. Pascoli, “The connection between low-energy leptonic CP-violation and leptogenesis,” Mod. Phys. Lett. A **20** (2005) 477. (1 citation)
- [258] R. Allahverdi, S. Hannestad, A. Jokinen, A. Mazumdar and S. Pascoli, “Supermassive gravitinos, dark matter, leptogenesis and flat direction baryogenesis,” arXiv:hep-ph/0504102. (5 citations)
- [259] O. Mena Requejo, S. Palomares-Ruiz and S. Pascoli, “Super-NOvA: A long-baseline neutrino experiment with two off-axis detectors,” Phys. Rev. D **72** (2005) 053002 [arXiv:hep-ph/0504015]. (7 citations)
- [260] O. Vives, “Understanding the differences in neutrino and charged-fermion flavour structures,” arXiv:hep-ph/0504079. (4 citations)
- [261] J. Haestier, S. Heinemeyer, D. Stockinger and G. Weiglein, “Electroweak precision observables: Two-loop Yukawa corrections of supersymmetric particles,” arXiv:hep-ph/0508139. (2 citations)
- [262] S. Heinemeyer, W. Hollik and G. Weiglein, “Electroweak precision observables in the minimal supersymmetric standard model,” arXiv:hep-ph/0412214. (23 citations)
- [263] J. R. Ellis, S. Heinemeyer, K. A. Olive and G. Weiglein, “Indirect sensitivities to the scale of supersymmetry,” JHEP **0502** (2005) 013 [arXiv:hep-ph/0411216]. (23 citations)
- [264] S. Heinemeyer, W. Hollik, H. Rzehak and G. Weiglein, “High-precision predictions for the MSSM Higgs sector at  $O(\alpha(b) \alpha(s))$ ,” Eur. Phys. J. C **39** (2005) 465 [arXiv:hep-ph/0411114].

- [265] S. Franco, A. Hanany and A. M. Uranga, “Multi-flux warped throats and cascading gauge theories,” arXiv:hep-th/0502113. (14 citations)
- [266] L. Covi, “Proton decay in a 6D SO(10) model,” arXiv:hep-ph/0506255.
- [267] K. A. Olive, M. Pospelov, A. Ritz and Y. Santoso, “CP-odd phase correlations and electric dipole moments,” Phys. Rev. D **72** (2005) 075001 [arXiv:hep-ph/0506106]. (4 citations)
- [268] M. Pospelov and A. Ritz, “Electric dipole moments as probes of new physics,” Annals Phys. **318** (2005) 119 [arXiv:hep-ph/0504231]. (9 citations)
- [269] S. J. Huber, “Baryogenesis with superheavy squarks,” arXiv:hep-ph/0508208.
- [270] D. Bodeker, L. Fromme, S. J. Huber and M. Seniuch, “The baryon asymmetry in the standard model with a low cut-off,” JHEP **0502** (2005) 026 [arXiv:hep-ph/0412366]. (5 citations)
- [271] Q. Shafi and Z. Tavartkiladze, “Supersymmetric SO(10) and a prediction for  $\theta(13)$ ,” arXiv:hep-ph/0509237.
- [272] F. Paccetti Correia, M. G. Schmidt and Z. Tavartkiladze, “Gauge and modulus inflation from 5D orbifold SUGRA,” arXiv:hep-th/0504083.
- [273] F. Brummer, M. G. Schmidt and Z. Tavartkiladze, “Worldlines on orbifolds and the Fayet-Iliopoulos term,” Eur. Phys. J. C **41** (2005) 393 [arXiv:hep-th/0412284]. (1 citation)
- [274] F. P. Correia, M. G. Schmidt and Z. Tavartkiladze, “(BPS) Fayet-Iliopoulos terms in 5D orbifold SUGRA,” Phys. Lett. B **613** (2005) 83 [arXiv:hep-th/0410281]. (7 citations)
- US team
- [275] S. Dimopoulos, S. Kachru, J. McGreevy and J. G. Wacker, “N-flation,” arXiv:hep-th/0507205. (Cited 4 times)
- [276] A. Arvanitaki, S. Dimopoulos, A. Pierce, S. Rajendran and J. Wacker, “Stopping gluinos,” arXiv:hep-ph/0506242. (Cited 3 times)
- [277] N. Arkani-Hamed, S. Dimopoulos and S. Kachru, “Predictive landscapes and new physics at a TeV,” arXiv:hep-th/0501082. (Cited 30 times)
- [278] N. Arkani-Hamed and S. Dimopoulos, “Supersymmetric unification without low energy supersymmetry and signatures for fine-tuning at the LHC,” JHEP **0506** (2005) 073. (Cited 161 times)
- [279] B. Feldstein, L. J. Hall and T. Watari, “Density perturbations and the cosmological constant from inflationary landscapes,” arXiv:hep-th/0506235. (Cited 2 times)
- [280] L. J. Hall, H. Murayama and G. Perez, “Electroweak baryogenesis from late neutrino masses,” Phys. Rev. Lett. **95** (2005) 111301 [arXiv:hep-ph/0504248]. (Cited 5 times)

- [281] L. J. Hall, Y. Nomura and S. J. Oliver, “Evolving dark energy with  $w$  deviating from  $-1$ ,” *Phys. Rev. Lett.* **95** (2005) 141302 [arXiv:astro-ph/0503706]. (Cited 2 times)
- [282] B. Feldstein, L. J. Hall and T. Watari, “Simultaneous solutions of the strong CP and  $\mu$  problems,” *Phys. Lett. B* **607** (2005) 155 [arXiv:hep-ph/0411013]. (Cited 3 times)
- [283] L. J. Hall and S. J. Oliver, “Why are neutrinos light? - an alternative,” *Nucl. Phys. Proc. Suppl.* **137** (2004) 269. In \*Tsukuba 2004, Neutrino mass and seesaw mechanism\* 269. (Cited 3 times)
- [284] Z. Chacko, L. J. Hall and Y. Nomura, “Acceleressence: dark energy from a phase transition at the seesaw scale,” *JCAP* **0410** (2004) 011. (Cited 5 times)
- [285] Z. Chacko, L. J. Hall, S. J. Oliver and M. Perelstein, “Late time neutrino masses, the LSND experiment and the cosmic microwave background,” *Phys. Rev. Lett.* **94** (2005) 111801. (Cited 17 times)